

Date printed 05.02.2021, Revision 05.02.2021 Version 01 Page 1 / 8 SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier Glue Sticks for Dent Repair Kit (BGS 8057) Article number: 8057 Relevant identified uses of the substance or mixture and uses advised against 1.2 1.2.1 Relevant uses Adhesive 1.2.2 Uses advised against None known. 1.3 Details of the supplier of the safety data sheet Company BGS technic KG Bandwirkerstr. 3 42929 Wermelskirchen / GERMANY Phone +49 (0)2196 72048-0 Fax +49 (0)2196 72048-20 Homepage www.bgstechnic.com E-mail mail@bgs-technic.de Address enquiries to **Technical information** mail@bgs-technic.de Safety Data Sheet sdb@chemiebuero.de 1.4 Emergency telephone number Advisory body +49 (0)89-19240 (24h) (English) SECTION 2: Hazards identification Classification of the substance or mixture [REGULATION (EC) No 1272/2008] 2.1 No classification. 2.2 Label elements The product does not require a hazard warning label in accordance with regulation (EC) No 1272/2008 (CLP). Hazard pictograms none Signal word none Hazard statements none **Precautionary statements** none 2.3 Other hazards Human health dangers Heated materials cause burns on the skin. **Environmental hazards** Does not contain any PBT or vPvB substances. Other hazards Further hazards were not determined with the current level of knowledge. SECTION 3: Composition / Information on ingredients

- 3.1 Substances
  - not applicable



Arti	e Sticks for Dent Repair Kit (BC cle number 8057 S technic KG		
429	29 Wermelskirchen		
Date	printed 05.02.2021, Revision 05.02.2021	Version 01 Page 2 /	
• •			
3.2	Mixtures		
	The product is a mixture.		
	Comment on component parts	No dangerous components. Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.	
SEC	TION 4: First aid measures		
4.1	Description of first aid measures		
	General information	Change soaked clothing.	
	Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.	
	Skin contact	In case of burning: After contact with molten product cool quickly with cold water or sterile sal solution and protect with gauze. Consult a doctor immediately.	
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult a doctor immediately.	
	Ingestion	Rinse out mouth and give plenty of water to drink. Seek medical advice.	
4.2	Most important symptoms and ef	ifects, both acute and delayed	
		None known.	
4.3	Indication of any immediate med	ical attention and special treatment needed	
		Treat symptomatically.	
SEC	TION 5: Fire-fighting measures		
5.1	Extinguishing media		
5.1	Suitable extinguishing media	Carbon dioxide. Water spray jet.	
		Foam.	
	Extinguishing media that must not be used	Full water jet.	
5.2	Special hazards arising from the	substance or mixture	
	-pgg	Risk of formation of toxic pyrolysis products.	
- 0			
5.3	Advice for firefighters	Use self-contained breathing apparatus.	
		Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.	
SEC	TION 6: Accidental release measu	res	
6.1	Personal precautions, protective	equipment and emergency procedures	
•		Use personal protective equipment (protective gloves).	
~ ~	For incomental and a discussion of		
6.2	Environmental precautions	Do not discharge into the draine/surface waters/groundwater	
		Do not discharge into the drains/surface waters/groundwater.	
6.3	Methods and material for contain		
		Take up mechanically.	
		Take up mechanically. Dispose of absorbed material in accordance within the regulations.	

# Safety Data Sheet 1907/2006/EC - REACH (GB) Glue Sticks for Dent Repair Kit (BGS 8057) Article number 8057 BGS technic KG 42929 Wermelskirchen



Date printed 05.02.2021, Revision 05.02.2021

Version 01 Page 3 / 8

	Reference to other sections	
		See SECTION 8+13
SEC	CTION 7: Handling and storage	
<b>'</b> .1	Precautions for safe handling	
		The normal safety precautions for handling of molten, heated products must be observed.
		The product is combustible.
		Wash hands before breaks and after work. Do not eat, drink or smoke when using this product.
<b>.</b> 2	Conditions for safe storage, inclu	uding any incompatibilities
		Keep only in original container.
		Do not store together with oxidizing agents. Do not store together with food and animal food/diet.
		Store in a dry place.
7.3	Specific end use(s)	
	,	See product use, SECTION 1.2
SEC	CTION 8: Exposure controls / perso	nal protection
3.1	· · ·	
	Control parameters Ingredients with occupational	
	exposure limits to be monitored (GB)	
		not applicable
.2	Exposure controls	
	Additional advice on system design	Ensure adequate ventilation on workstation.
	Eye protection	
		Not required under normal conditions.
	Hand protection	Not required under normal conditions. Gloves (heat-resistant). The details concerned are recommendations. Please contact the glove supplier for further information.
		Gloves (heat-resistant). The details concerned are recommendations. Please contact the glove supplier for further
	Hand protection	Gloves (heat-resistant). The details concerned are recommendations. Please contact the glove supplier for further information.
	Hand protection	Gloves (heat-resistant). The details concerned are recommendations. Please contact the glove supplier for further information. Protective clothing (EN 340) Avoid contact with eyes and skin. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to
	Hand protection Skin protection Other	<ul> <li>Gloves (heat-resistant).</li> <li>The details concerned are recommendations. Please contact the glove supplier for further information.</li> <li>Protective clothing (EN 340)</li> <li>Avoid contact with eyes and skin.</li> <li>Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.</li> </ul>

# Glue Sticks for Dent Repair Kit (BGS 8057) Article number 8057 **BGS technic KG** 42929 Wermelskirchen

Date printed 05.02.2021, Revision 05.02.2021

# www.chemiebuero.de, Phone +49 (0)941-646 353-0, 210122

|--|

9.1	Information on basic physical and chemical properties		
	Physical state	solid	
	Color	transparent	
	Odor	odourless	
	Odour threshold	not determined	
	pH-value	not determined	
	pH-value [1%]	not determined	
	Boiling point [°C]	not determined	
	Flash point [°C]	not determined	
	Flammability (solid, gas) [°C]	not determined	
	Lower explosion limit	not determined	
	Upper explosion limit	not determined	
	Oxidising properties	no	
	Vapour pressure/gas pressure [kPa]	not determined	
	Density [g/ml]	not determined	
	Bulk density [kg/m³]	not applicable	
	Solubility in water	immiscible	
	Solubility other solvents	No information available.	
	Partition coefficient [n-octanol/water]	not determined	
	Kinematic viscosity	not determined	
	Relative vapour density	not determined	
	Evaporation speed	not determined	
	Melting point [°C]	not determined	
	Auto-ignition temperature	not determined	
	Decomposition temperature [°C]	not determined	
	Particle characteristics	not applicable	
9.2	Other information		

none

# SECTION 10: Stability and reactivity

# 10.1 Reactivity

No dangerous reactions known if used as directed.

# 10.2 Chemical stability

The product is stable under standard conditions.

# 10.3 Possibility of hazardous reactions

No hazardous reactions known.

# 10.4 Conditions to avoid

See SECTION 7.2.

# 10.5 Incompatible materials

Oxidizing agent



Version 01 Page 4 / 8

btk00012 GB



Version 01

Page 5 / 8

Date printed 05.02.2021, Revision 05.02.2021

# 10.6 Hazardous decomposition products

No hazardous decomposition products known.

# SECTION 11: Toxicological information

# 11.1 Information on toxicological effects

Acute oral toxicity	
Acute dermal toxicity	
Acute inhalational toxicity	
Serious eye damage/irritation	Based on the available information, the classification criteria are not fulfilled.
Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled.
Respiratory or skin sensitisation	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	
	Toxicological data of complete product are not available.

# SECTION 12: Ecological information

## 12.1 Toxicity

# 12.2 Persistence and degradability

Behaviour in environment compartments	No information available.
Behaviour in sewage plant	No information available.
Biological degradability	No information available.

# 12.3 Bioaccumulative potential

Accumulation in organisms is not expected.

# 12.4 Mobility in soil

not applicable

# 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

# 12.6 Endocrine disrupting properties

No information available.

# 12.7 Other adverse effects

Do not discharge product unmonitored into the environment or into the drainage. Ecological data of complete product are not available.



Date printed 05.02.2021, Revision 05.02.2021

Version 01 Page 6 / 8

# SECTION 13: Disposal considerations

# 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

	Product	Coordinate disposal with the disposal contractor/authorities if necessary.
	Waste no. (recommended)	080410
	Contaminated packaging	Packaging that cannot be cleaned should be disposed of as for product.
	Waste no. (recommended)	150102
		130102
SEC	TION 14: Transport information	
14.1	UN number Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.2	UN proper shipping name	
	Transport by land according to ADR/RID	NO DANGEROUS GOODS
	Inland navigation (ADN)	NO DANGEROUS GOODS
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"
14.3	Transport hazard class(es)	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable

Air transport in accordance with IATA not applicable



Page 7 / 8

Version 01

|--|

14.4	Packing group	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.5	Environmental hazards	
	Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no

# 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

# 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

15.1	Safety, health and environmental	regulations/legislation specific for the substance or mixture
	EEC-REGULATIONS	2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014
	TRANSPORT-REGULATIONS	ADR (2021); IMDG-Code (2021, 40. Amdt.); IATA-DGR (2021)
	NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011).
	- Observe employment restrictions for people	no
	- VOC (2010/75/CE)	not applicable
15.2	Chemical safety assessment	

not applicable



Version 01 Page 8 / 8

# Date printed 05.02.2021, Revision 05.02.2021

# SECTION 16: Other information

### 16.1 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par

voie de navigation intérieure ATE = acute toxicity estimate

- CAS = Chemical Abstracts Service
- CLP = Classification, Labelling and Packaging
- DMEL = Derived Minimum Effect Level
- DNEL = Derived Ninimitan Ellect E
- EC50 = Median effective concentration
- ECB = European Chemicals Bureau
- EEC = European Economic Community
- EINECS = European Inventory of Existing Commercial Chemical Substances
- EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

- EmS = Emergency Schedules
- GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- IATA = International Air Transport Association
- IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
- IC50 = Inhibition concentration, 50%
- IMDG = International Maritime Code for Dangerous Goods
- IUCLID = International Uniform ChemicaL Information Database IVIS = In vitro irritation score
- LC50 = Lethal concentration, 50%
- LD50 = Median lethal dose
- LC0 = lethal concentration, 0%
- LOAEL = lowest-observed-adverse-effect level
- LL50 = Median lethal loading
- LQ = Limited Quantities
- MARPOL = International Convention for the Prevention of Marine Pollution from Ships
- NOAEL = No Observed Adverse Effect Level
- NOEC = No Observed Effect Concentration
- PBT = Persistent, Bioaccumulative and Toxic substance
- PNEC = Predicted No-Effect Concentration
- REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
- STP = Sewage Treatment Plant
- TLV®/TWA = Threshold limit value time-weighted average
- TLV®STEL = Threshold limit value short-time exposure limit
- VOC = Volatile Organic Compounds
- vPvB = very Persistent and very Bioaccumulative

### 16.2 Other information

**Classification procedure** 

Modified position





Copyright: Chemiebüro®





Date printed 26.03.2021, Revision 26.03.2021 Version 01 Page 1 / 10 SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier Solvent Agent for Dent Repair Kit (BGS 8057) Article number: 8057 Relevant identified uses of the substance or mixture and uses advised against 1.2 1.2.1 Relevant uses See product information. 1.2.2 Uses advised against None known. 1.3 Details of the supplier of the safety data sheet Company BGS technic KG Bandwirkerstr. 3 42929 Wermelskirchen / GERMANY Phone +49 (0)2196 72048-0 Fax +49 (0)2196 72048-20 Homepage www.bgstechnic.com E-mail mail@bgs-technic.de Address enquiries to **Technical information** mail@bgs-technic.de Safety Data Sheet sdb@chemiebuero.de 1.4 Emergency telephone number Advisory body +49 (0)89-19240 (24h) (English) SECTION 2: Hazards identification Classification of the substance or mixture [REGULATION (EC) No 1272/2008] 2.1 Flam. Lig. 2: H225 Highly flammable liquid and vapour. Asp. Tox. 1: H304 May be fatal if swallowed and enters airways. Skin Irrit. 2: H315 Causes skin irritation. STOT SE 3: H336 May cause drowsiness or dizziness. Aquatic Acute 1: H400 Very toxic to aquatic life. Aquatic Chronic 1: H410 Very toxic to aquatic life with long lasting effects. 2.2 Label elements The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP). Hazard pictograms Signal word DANGER Contains: n-Heptane Hazard statements H225 Highly flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H336 May cause drowsiness or dizziness. H410 Very toxic to aquatic life with long lasting effects. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No Precautionary statements smoking. P261 Avoid breathing mist/vapours/spray. P273 Avoid release to the environment. P280 Wear protective gloves / protective clothing / eye protection / face protection. P302+P352 IF ON SKIN: Wash with plenty of water / soap.

P304+P312 When inhaling: Call a POISON CENTER or doctor / physician if you feel unwell.

P501 Dispose of contents/container in accordance with local/national regulation.



Date	e printed 26.03.2021, Revision 26.03.202	1 Version 01 Page 2
2.3	Other hazards	
	Environmental hazards	Does not contain any PBT or vPvB substances.
	Other hazards	Further hazards were not determined with the current level of knowledge.
SEC	CTION 3: Composition / Information	n on ingredients
3.1	Substances	
	not applicable	
3.2	Mixtures	
	The product is a mixture.	
	Range [%] Substance	
	70 -90 n-Heptane	
		NECS/ELINCS: 205-563-8, EU-INDEX: 601-008-00-2
	H400 - Aquatic Ch	iq. 2: H225 - Asp. Tox. 1: H304 - Skin Irrit. 2: H315 - STOT SE 3: H336 - Aquatic Acute 1: ronic 1: H410,
	M-Factor (acute): 1	
	Comment on component parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.15 For full text of H-statements: see SECTION 16.
SEC	CTION 4: First aid measures	
4.1	Description of first aid measures	3
	General information	Change soaked clothing.
	Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
	Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and eas to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
	Ingestion	Rinse out mouth and give plenty of water to drink.
		Do not induce vomiting. Get medical advice.
		Beware of vomiting. Risk of aspiration.
4.2	Most important symptoms and e	ffects, both acute and delayed
		Drowsiness
		Vertigo
4.3	3 Indication of any immediate medical attention and special treatment needed	
		Treat symptomatically.
		Forward this sheet to your doctor.
SEC	CTION 5: Fire-fighting measures	
5.1	Extinguishing media	
	Suitable extinguishing media	foam, dry powder, water spray jet, carbon dioxide
	Extinguishing media that must not	Full water jet.
	be used	
5.2		e <b>substance or mixture</b> Risk of formation of toxic pyrolysis products.



Date	printed 26.03.2021, Revision 26.03.2021	Version 01 Page 3 / 10
5.3	Advice for firefighters	
0.0		Use self-contained breathing apparatus.
		Cool containers at risk with water spray jet. Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.
SEC	TION 6: Accidental release measu	res
6.1	Personal precautions, protective	equipment and emergency procedures
		Keep away from all sources of ignition. Ensure adequate ventilation. Use personal protective equipment.
6.2	Environmental precautions	
		Do not discharge into the drains/surface waters/groundwater. In case the product spills into drains/surface waters/groundwater, immediately inform the authorities.
6.3	Methods and material for contain	ment and cleaning up
		Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.
6.4	Reference to other sections	
		See SECTION 8+13
SEC	TION 7: Handling and storage	
7.1	Precautions for safe handling	
		Use only in well-ventilated areas.
		Keep away from all sources of ignition - Refrain from smoking. Ignitable mixtures can be formed in the empty container. Take precautionary measures against static discharges. Vapours can form an explosive mixture with air. Ground/bond container and receiving equipment.
		Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Take off contaminated clothing and wash before reuse. Use barrier skin cream.
7.2	Conditions for safe storage, inclu	uding any incompatibilities
		Keep only in original container. Provide solvent-resistant and impermeable floor.
		Do not store with oxidizing or self-igniting materials.
		Protect from heat/overheating. Keep container in a well-ventilated place. Keep container tightly closed.
7.3	Specific end use(s)	See product use, SECTION 1.2
		See product use, SECTION 1.2



Date printed 26.03.2021, Revision 26.03.2021

Version 01 Page 4 / 10

# SECTION 8: Exposure controls / personal protection

# 8.1 Control parameters

# Ingredients with occupational exposure limits to be monitored (GB)

Substance	
n-Heptane	
CAS: 142-82-5, EINECS/ELINCS: 205-563-8, EU-INDEX: 601-008-00-2	
Long-term exposure: 500 ppm, 2085 mg/m <sup>3</sup>	

# Ingredients with occupational exposure limits to be monitored (EU)

Substance / EC LIMIT VALUES	
n-Heptane	
CAS: 142-82-5, EINECS/ELINCS: 205-563-8, EU-INDEX: 601-008-00-2	
Eight hours: 500 ppm, 2085 mg/m <sup>3</sup>	

# 8.2 Exposure controls

•	
Additional advice on system design	Ensure adequate ventilation on workstation.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	> 0,4 mm; Butyl rubber, >480 min (EN 374-1/-2/-3). The details concerned are recommendations. Please contact the glove supplier for further information.
Skin protection	Protective clothing (EN 340)
Other	Do not inhale vapours. Avoid contact with eyes and skin.
Respiratory protection	In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection. Short term: filter apparatus, filter A. (DIN EN 14387)
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Protect the environment by applying appropriate control measures to prevent or limit emissions.

# Safety Data Sheet REACH(UK) (GB) Solvent Agent for Dent Repair Kit (BGS 8057) Article number 8057 **BGS technic KG** 42929 Wermelskirchen

chnic

Date printed 26.03.2021, Revision 26.03.2021

# SECTION 9: Physical and chemical properties

9.1	Information on	basic physical	and chemical	properties
	Physical state		liguid	

	Filysical state	liquid
	Color	transparent
	Odor	characteristic
	Odour threshold	not determined
	pH-value	not determined
	pH-value [1%]	not determined
	Boiling point [°C]	98,8
	Flash point [°C]	< 23
	Flammability (solid, gas) [°C]	not applicable
	Lower explosion limit	not determined
	Upper explosion limit	not determined
	Oxidising properties	no
	Vapour pressure/gas pressure [kPa]	6
	Density [g/ml]	0,695
	Bulk density [kg/m³]	not applicable
	Solubility in water	partially soluble
	Solubility other solvents	Alkohole, Chloroform
	Partition coefficient [n-octanol/water]	not determined
	Kinematic viscosity	not determined
	Relative vapour density	not determined
	Evaporation speed	not determined
	Melting point [°C]	-91
	Auto-ignition temperature	204
	Decomposition temperature [°C]	not determined
	Particle characteristics	not applicable
,	Other information	

9.2 Other information

none

# SECTION 10: Stability and reactivity

# 10.1 Reactivity

See SECTION 10.3.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

# 10.3 Possibility of hazardous reactions

Evolution of highly flammable gases/vapours. Uncleaned empty vessels may contain product gases which can form explosive mixtures with air.

# 10.4 Conditions to avoid

Strong heating.

# 10.5 Incompatible materials

Oxidizing agent

Page 5 / 10 Version 01



Date printed 26.03.2021, Revision 26.03.2021

Version 01 Page 6 / 10

# 10.6 Hazardous decomposition products

No hazardous decomposition products known.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

# Acute oral toxicity

Product

ATE-mix, oral, Based on the available information, the classification criteria are not fulfilled.

Substance

n-Heptane, CAS: 142-82-5 LD50, oral, Rat, > 2000 mg/kg

# Acute dermal toxicity

Product ATE-mix, dermal, Based on the available information, the classification criteria are not fulfilled.

Substance

n-Heptane, CAS: 142-82-5

LD50, dermal, Rabbit, 3400 mg/kg

### Acute inhalational toxicity

Product ATE-mix, inhalative, Based on the available information, the classification criteria are not fulfilled.

Substance	
n-Heptane, CAS: 142-82-5	
LC50, inhalative, Rat, 103 g/m <sup>3</sup> (4h)	

Serious eye damage/irritation	Based on the available information, the classification criteria are not fulfilled.
Skin corrosion/irritation	Irritant Based on the available information, the classification criteria are fulfilled. Calculation method
Respiratory or skin sensitisation	Based on the available information, the classification criteria are not fulfilled. Calculation method
Specific target organ toxicity — single exposure	Vapours may cause drowsiness and dizziness. Based on the available information, the classification criteria are fulfilled. Calculation method
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Mutagenicity	Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	May be fatal if swallowed and enters airways. Based on the available information, the classification criteria are fulfilled. Calculation method
General remarks	
	Toxicological data of complete product are not available.

www.chemiebuero.de, Phone +49 (0)941-646 353-0, 210324



Version 01

Page 7 / 10

Date printed 26.03.2021, Revision 26.03.2021

# SECTION 12: Ecological information

### 12.1 Toxicity

Substance		
n-Heptane, CAS: 142-82-5		
LC50, (24h), fish, 4 mg/l		
EC50, (48h), Daphnia magna, 1,5 mg/l		

## 12.2 Persistence and degradability

Behaviour in environment compartments	No information available.
Behaviour in sewage plant	No information available.
Biological degradability	No information available.

# 12.3 Bioaccumulative potential

No information available.

# 12.4 Mobility in soil

Spillages may penetrate the soil causing ground water contamination.

### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

# 12.6 Endocrine disrupting properties

No information available.

# 12.7 Other adverse effects

Do not discharge product unmonitored into the environment or into the drainage. Ecological data of complete product are not available.

# SECTION 13: Disposal considerations

# 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

### Product

	Dispose of as hazardous waste.
Waste no. (recommended)	070104*
Contaminated packaging	
	Packaging that cannot be cleaned should be disposed of as for product. Uncontaminated packaging may be taken for recycling.
Waste no. (recommended)	150110* packaging containing residues of or contaminated by hazardous substances



Date printed 26.03.2021, Revision 26.03.2021 Page 8 / 10 Version 01 **SECTION 14: Transport information** 14.1 UN number Transport by land according to 1206 ADR/RID Inland navigation (ADN) 1206 Marine transport in accordance with 1206 IMDG Air transport in accordance with IATA 1206 14.2 UN proper shipping name Transport by land according to Heptanes, mixture ADR/RID F1 - Classification Code - Label - ADR LQ 11 - ADR 1.1.3.6 (8.6) Transport category (tunnel restriction code) 2 (D/E) Inland navigation (ADN) Heptanes, mixture - Classification Code F1 - Label Marine transport in accordance with Heptanes, mixture IMDG - EMS F-E, S-D - Label - IMDG LQ 11 Air transport in accordance with IATA Heptanes, mixture - Label 14.3 Transport hazard class(es) Transport by land according to 3 (N) ADR/RID Inland navigation (ADN) 3 (N) Marine transport in accordance with 3 IMDG Air transport in accordance with IATA 3



Date printed 26.03.2021, Revision 26.03.2021	Version 01	Page 9 / 10
--	------------	-------------

14.4	Packing group Transport by land according to ADR/RID	II
	Inland navigation (ADN)	II
	Marine transport in accordance with IMDG	II
	Air transport in accordance with IATA	II
14.5	Environmental hazards	
	Transport by land according to ADR/RID	yes
	Inland navigation (ADN)	yes
	Marine transport in accordance with IMDG	MARINE POLLUTANT
	Air transport in accordance with IATA	yes
14.6	Special precautions for user	

Relevant information under SECTION 6 to 8.

# 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

.1 Safety, health and environmental	regulations/legislation specific for the substance or mixture
EEC-REGULATIONS	2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014
TRANSPORT-REGULATIONS	ADR (2021); IMDG-Code (2021, 40. Amdt.); IATA-DGR (2021)
NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011).
- Observe employment restrictions for people	Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.
- VOC (2010/75/CE)	90 %

not applicable

# SECTION 16: Other information

# 16.1 Hazard statements (SECTION 3)

H410 Very toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

H336 May cause drowsiness or dizziness.

H315 Causes skin irritation.

H304 May be fatal if swallowed and enters airways.

H225 Highly flammable liquid and vapour.

# Safety Data Sheet REACH(UK) (GB) Solvent Agent for Dent Repair Kit (BGS 8057) Article number 8057 **BGS technic KG** 42929 Wermelskirchen



Version 01 Page 10 / 10

Date printed 26.03.2021, Revision 26.03.2021

### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV<sup>®</sup>/TWA = Threshold limit value – time-weighted average TLV<sup>®</sup>STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds vPvB = very Persistent and very Bioaccumulative

# 16.3 Other information

**Classification procedure** Flam. Liq. 2: H225 Highly flammable liquid and vapour. (Bridging principle "Substantially similar mixtures") Asp. Tox. 1: H304 May be fatal if swallowed and enters airways. (Calculation method) Skin Irrit. 2: H315 Causes skin irritation. (Calculation method) STOT SE 3: H336 May cause drowsiness or dizziness. (Calculation method) Aquatic Acute 1: H400 Very toxic to aquatic life. (Bridging principle "Substantially similar mixtures" Aquatic Chronic 1: H410 Very toxic to aquatic life with long lasting effects. (Calculation method) Modified position none

Copyright: Chemiebüro®