



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Super Glue 20gr Bottle**  
**Article number: 80853**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

Adhesive

#### 1.2.2 Uses advised against

None known.

### 1.3 Details of the supplier of the safety data sheet

**Company** BGS technic KG  
Bandwikerstr. 3  
42929 Wermelskirchen / GERMANY  
Phone +49 (0)2196 72048-0  
Fax +49 (0)2196 72048-20  
Homepage [www.bgstechnik.com](http://www.bgstechnik.com)  
E-mail [mail@bgs-technic.de](mailto:mail@bgs-technic.de)

#### Address enquiries to

**Technical information** [uclouth@bgs-technic.de](mailto:uclouth@bgs-technic.de)  
**Safety Data Sheet** [sdb@chemiebuero.de](mailto:sdb@chemiebuero.de)

### 1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (english)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Eye Irrit. 2: H319 Causes serious eye irritation.  
Skin Irrit. 2: H315 Causes skin irritation.  
STOT SE 3: H335 May cause respiratory irritation.

### 2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

#### Hazard pictograms



#### Signal word

WARNING

#### Contains:

Ethyl-2-cyanoacrylate

#### Hazard statements

H319 Causes serious eye irritation.  
H315 Causes skin irritation.  
H335 May cause respiratory irritation.

#### Precautionary statements

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P261 Avoid breathing vapours.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves / eye protection / face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 If eye irritation persists: Get medical advice / attention.  
P312 Call a POISON CENTER / doctor /.../ if you feel unwell.  
P405 Store locked up.  
P501 Dispose of contents/container to in accordance with local/regional/national/international regulation.

#### Special labelling

EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.



### 2.3 Other hazards

<b>Human health dangers</b>	People who are allergic to cyanoacrylates should avoid the use of the product.
<b>Other hazards</b>	No particular hazards known.

## SECTION 3: Composition / Information on ingredients

### Product-type:

The product is a mixture.

Range [%]	Substance
70 - 90	Ethyl-2-cyanoacrylate
	CAS: 7085-85-0, EINECS/ELINCS: 230-391-5, EU-INDEX: 607-236-00-9, Reg-No.: 01-2119527766-29-XXXX
	GHS/CLP: STOT SE 3: H335 - Eye Irrit. 2: H319 - Skin Irrit. 2: H315

<b>Comment on component parts</b>	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. For full text of H-statements: see SECTION 16.
-----------------------------------	---

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

<b>General information</b>	Take off contaminated clothing and wash before reuse.
<b>Inhalation</b>	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
<b>Skin contact</b>	In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.
<b>Eye contact</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
<b>Ingestion</b>	Get medical advice. Rinse out mouth and give plenty of water to drink. Induce vomiting if patient is conscious, seek medical advice.

### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.  
Forward this sheet to the doctor.

## SECTION 5: Fire-fighting measures

### 5.1 Extinguishing media

<b>Suitable extinguishing media</b>	Carbon dioxide. Water spray jet. Sand. Dry powder.
<b>Extinguishing media that must not be used</b>	Full water jet.

### 5.2 Special hazards arising from the substance or mixture

Carbon monoxide (CO).  
Risk of formation of toxic pyrolysis products.

### 5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.  
Use self-contained breathing apparatus.  
Collect contaminated firefighting water separately, must not be discharged into the drains.  
Cool containers at risk with water spray jet.



## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.  
Keep away from all sources of ignition.  
Forms slippery surfaces with water.  
Use breathing apparatus if exposed to vapours/dust/aerosol.

### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).  
Do not discharge into the drains/surface waters/groundwater.

### 6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous earth).  
Dispose of absorbed material in accordance within the regulations.

### 6.4 Reference to other sections

See SECTION 8+13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Use only in well-ventilated areas.  
Avoid spilling or spraying in enclosed areas.  
Highly volatile, flammable components are liberated in processing.  
Keep away from all sources of ignition - Refrain from smoking.  
Do not eat, drink or smoke when using this product.  
After worktime and before work breaks the affected skin areas must be thoroughly cleaned.  
Use barrier skin cream.  
Contaminated work clothing should not be allowed out of the workplace.  
Take off contaminated clothing and wash before reuse.

### 7.2 Conditions for safe storage, including any incompatibilities

Only use containers that are approved specifically for the substance/product.  
Provide solvent-resistant and impermeable floor.  
Do not store together with oxidizing agents.  
Protect from heat/overheating.  
Keep container in a well-ventilated place.  
Keep container tightly closed.

### 7.3 Specific end use(s)

See product use, SECTION 1.2



## SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

#### Ingredients with occupational exposure limits to be monitored (GB)

Substance
Ethyl-2-cyanoacrylate
CAS: 7085-85-0, EINECS/ELINCS: 230-391-5, EU-INDEX: 607-236-00-9, Reg-No.: 01-2119527766-29-XXXX
Short-term exposure (15-minute): 0,3 ppm, 1,5 mg/m <sup>3</sup>

#### DNEL

Substance
Ethyl-2-cyanoacrylate, CAS: 7085-85-0
Industrial, inhalative, Long-term - systemic effects: 9,25 mg/m <sup>3</sup> .
Industrial, inhalative, Long-term - local effects: 9,25 mg/m <sup>3</sup> .
general population, inhalative, Long-term - systemic effects: 9,25 mg/m <sup>3</sup> .
general population, inhalative, Long-term - local effects: 9,25 mg/m <sup>3</sup> .

### 8.2 Exposure controls

<b>Additional advice on system design</b>	Ensure adequate ventilation on workstation.
<b>Eye protection</b>	Safety glasses. (EN 166:2001)
<b>Hand protection</b>	The details concerned are recommendations. Please contact the glove supplier for further information. In full contact: > 0,4 mm/ Butyl rubber, >240 min (EN 374-1/-2/-3). In splash contact: > 0,4 mm/ Nitrile rubber, >120 min (EN 374-1/-2/-3).
<b>Skin protection</b>	Light protective clothing.
<b>Other</b>	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.
<b>Respiratory protection</b>	Breathing apparatus in the event of high concentrations. Short term: filter apparatus, filter A. (DIN EN 14387)
<b>Thermal hazards</b>	No information available.
<b>Delimitation and monitoring of the environmental exposition</b>	not determined



## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Form	liquid
Color	colourless
Odor	pungent
Odour threshold	not determined
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	150
Flash point [°C]	87
Flammability (solid, gas) [°C]	not determined
Lower explosion limit	not determined
Upper explosion limit	not determined
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/ml]	1,05
Bulk density [kg/m <sup>3</sup> ]	not applicable
Solubility in water	insoluble reacts with water
Partition coefficient [n-octanol/water]	not determined
Viscosity	not applicable
Relative vapour density determined in air	not determined
Evaporation speed	not determined
Melting point [°C]	not determined
Autoignition temperature [°C]	500
Decomposition temperature [°C]	not determined

### 9.2 Other information

none

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

See SECTION 10.3.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.  
Reactions with water.  
Reactions with amines.  
Reactions with alcohols.  
Reactions with alkalis (lyes).

### 10.4 Conditions to avoid

Strong heating.

### 10.5 Incompatible materials

See SECTION 7



## 10.6 Hazardous decomposition products

Irritant gases/vapours.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Product
ATE-mix, dermal, > 2000 mg/kg.
ATE-mix, oral, > 5000 mg/kg.
Substance
Ethyl-2-cyanoacrylate, CAS: 7085-85-0
LD50, oral, Rat: > 5000 mg/kg (OECD 401).
LD50, dermal, Rabbit: > 2000 mg/kg (OECD 402).

<b>Serious eye damage/irritation</b>	Toxicological data of complete product are not available. Irritant Calculation method
<b>Skin corrosion/irritation</b>	Toxicological data of complete product are not available. Irritant Calculation method
<b>Respiratory or skin sensitisation</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Specific target organ toxicity — single exposure</b>	Toxicological data of complete product are not available. May cause respiratory irritation. Calculation method
<b>Specific target organ toxicity — repeated exposure</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Mutagenicity</b>	Based on the available information, the classification criteria are not fulfilled. Does not contain a relevant substance that meets the classification criteria.
<b>Reproduction toxicity</b>	Based on the available information, the classification criteria are not fulfilled. Does not contain a relevant substance that meets the classification criteria.
<b>Carcinogenicity</b>	Based on the available information, the classification criteria are not fulfilled. Does not contain a relevant substance that meets the classification criteria.
<b>Aspiration hazard</b>	Based on the available information, the classification criteria are not fulfilled.
<b>General remarks</b>	Cyanoacrylates bond skin and eyelids in seconds. In the case of large spills on the skin, superficial burns may occur - treat accordingly. There may be irritation and redness at the site of contact.  Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

## SECTION 12: Ecological information

### 12.1 Toxicity

### 12.2 Persistence and degradability

<b>Behaviour in environment compartments</b>	not determined
<b>Behaviour in sewage plant</b>	not applicable
<b>Biological degradability</b>	not applicable

### 12.3 Bioaccumulative potential

No evidence for bioaccumulation potential.



## 12.4 Mobility in soil

Cured product is immobile.

## 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

## 12.6 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment.

Do not allow product to reach the drainage.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### Product

Dispose of as hazardous waste.

#### Waste no. (recommended)

080409\*

#### Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

#### Waste no. (recommended)

150110\*

## SECTION 14: Transport information

### 14.1 UN number

Transport by land according to  
ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with  
IMDG not applicable

Air transport in accordance with IATA 3334

### 14.2 UN proper shipping name

Transport by land according to  
ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with  
IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA Aviation regulated liquid, n.o.s. (Cyanoacrylates)[only for more than 0,5l]

- Label



**14.3 Transport hazard class(es)**

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA 9

**14.4 Packing group**

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA III

**14.5 Environmental hazards**

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

**14.6 Special precautions for user**

Relevant information under SECTION 6 to 8.

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**

not applicable

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EEC-REGULATIONS** 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC; (EU) 2015/830

**TRANSPORT-REGULATIONS** DOT-Classification, ADR (2015); IMDG-Code (2015, 37. Amdt.); IATA-DGR (2016).

**NATIONAL REGULATIONS (GB):** EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4

- **Observe employment restrictions for people** Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.

- **VOC (2010/75/CE)** 0%

**15.2 Chemical safety assessment**

For the following substances of this preparation a chemical safety assessment has been carried out:





## SECTION 16: Other information

### 16.1 Hazard statements (SECTION 03)

H315 Causes skin irritation.  
 H319 Causes serious eye irritation.  
 H335 May cause respiratory irritation.

### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
 CAS = Chemical Abstracts Service  
 CLP = Classification, Labelling and Packaging  
 DMEL = Derived Minimum Effect Level  
 DNEL = Derived No Effect Level  
 EC50 = Median effective concentration  
 ECB = European Chemicals Bureau  
 EEC = European Economic Community  
 EINECS = European Inventory of Existing Commercial Chemical Substances  
 ELINCS = European List of Notified Chemical Substances  
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
 IATA = International Air Transport Association  
 IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
 IC50 = Inhibition concentration, 50%  
 IMDG = International Maritime Code for Dangerous Goods  
 IUCLID = International Uniform Chemical Information Database  
 LC50 = Lethal concentration, 50%  
 LD50 = Median lethal dose  
 MARPOL = International Convention for the Prevention of Marine Pollution from Ships  
 PBT = Persistent, Bioaccumulative and Toxic substance  
 PNEC = Predicted No-Effect Concentration  
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  
 TLV®/TWA = Threshold limit value – time-weighted average  
 TLV®STEL = Threshold limit value – short-time exposure limit  
 VOC = Volatile Organic Compounds  
 vPvB = very Persistent and very Bioaccumulative

### 16.3 Other information

#### Customs Tariff

not determined

#### Classification procedure

Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)  
 Skin Irrit. 2: H315 Causes skin irritation. (Calculation method)  
 STOT SE 3: H335 May cause respiratory irritation. (Calculation method)

#### Modified position

SECTION 16 been added: GENERAL REVIEW [CLP; REACH-(EU) 2015/830]

**Copyright: Chemiebüro®**